

## Military Specifications by material type for piping

<b>SPECIFICATION</b>	<b>TYPE</b>	<b>ANALYSIS</b>	<b>SERVICE</b>
MIL-P-1144	Seamless or Welded	Types 304, 316, 321, 347	High Temp. & Pressure
MIL-P-11087	Seamless or Welded	Medium Carbon	Line Transmission
MIL-P-24338	Seamless	Medium Carbon	High Pressure
MIL-T-1368	Seamless or Welded	Nickel Copper Alloy	Corrosion applications
MIL-T-5066	Seamless or Welded	1025	Aircraft
MIL-T-6736	Seamless or Welded	4130	Aircraft
MIL-T-15005	Seamless or Welded	Copper Nickel Alloy	Condenser & Heat Exchanger
MIL-T-16286 (SHIPS)	Seamless	Class A Low Carbon	Boiler
MIL-T-16286 (SHIPS)	Seamless	Class G Medium Carbon	Boiler
MIL-T-16286 (SHIPS)	Seamless	Type 321 or 347	High Pressure Steam & Super Heater Generator
MIL-T-16343	Seamless or Welded	Medium Carbon	Structural
MILT-T-16420 (SHIPS)	Seamless or Welded	Copper Nickel Alloy	Corrosion Applications
MIL-T-17188	Welded	Low Carbon	Boiler
MIL-T-3520	Welded	Low Carbon	Equipment Manufacture
MIL-T-18165	Seamless	Chrome Moly Alloy	High Temp & Pressure
MIL-T-20155	Seamless	Carbon Moly	Pressure
MIL-T-20157	Seamless	Carbon Class A, B, C, O, E	Pressure
MIL-T-20160	Seamless or Welded	Low Carbon	Pressure
MIL-T-20162	Seamless or Welded	Low & Medium Carbon	Pressure
MIL-T-23226	Seamless	Type 304, 3041, 348	High Pressure Steam & Super Heater Generator
MIL-T-8504	Seamless or Welded	Type 304, 316	Corrosion & Hydraulic
MIL-T-8606	Seamless or Welded	Type 304, 316	Corrosion & High Temperature
WW-P-406 D	Seamless or Welded	Low & Medium Carbon	Ordinary use
WW-P404 D	Seamless or Welded	Low & Medium Carbon	Pressure applications